

Cal Poly Humboldt

## Digital Commons @ Cal Poly Humboldt

---

Botanical Studies

Open Educational Resources and Data

---

2017

### Publication Dates of Selected Vascular Plant Families

James P. Smith Jr

*Humboldt State University*, [james.smith@humboldt.edu](mailto:james.smith@humboldt.edu)

Follow this and additional works at: [https://digitalcommons.humboldt.edu/botany\\_jps](https://digitalcommons.humboldt.edu/botany_jps)



Part of the [Botany Commons](#)

---

#### Recommended Citation

Smith, James P. Jr, "Publication Dates of Selected Vascular Plant Families" (2017). *Botanical Studies*. 63. [https://digitalcommons.humboldt.edu/botany\\_jps/63](https://digitalcommons.humboldt.edu/botany_jps/63)

This Plant Taxonomy-Systematic Botany is brought to you for free and open access by the Open Educational Resources and Data at Digital Commons @ Cal Poly Humboldt. It has been accepted for inclusion in Botanical Studies by an authorized administrator of Digital Commons @ Cal Poly Humboldt. For more information, please contact [kyle.morgan@humboldt.edu](mailto:kyle.morgan@humboldt.edu).

Humboldt State University

## Digital Commons @ Humboldt State University

---

Botanical Studies

Open Educational Resources and Data

---

2017

### Publication Dates of Selected Vascular Plant Families

James P. Smith Jr

*Humboldt State University*, [james.smith@humboldt.edu](mailto:james.smith@humboldt.edu)

Follow this and additional works at: [https://digitalcommons.humboldt.edu/botany\\_jps](https://digitalcommons.humboldt.edu/botany_jps)



Part of the [Botany Commons](#)

---

#### Recommended Citation

Smith, James P. Jr, "Publication Dates of Selected Vascular Plant Families" (2017). *Botanical Studies*. 63. [https://digitalcommons.humboldt.edu/botany\\_jps/63](https://digitalcommons.humboldt.edu/botany_jps/63)

This Plant Taxonomy-Systematic Botany is brought to you for free and open access by the Open Educational Resources and Data at Digital Commons @ Humboldt State University. It has been accepted for inclusion in Botanical Studies by an authorized administrator of Digital Commons @ Humboldt State University. For more information, please contact [kyle.morgan@humboldt.edu](mailto:kyle.morgan@humboldt.edu).

# PUBLICATION DATES OF SELECTED VASCULAR PLANT FAMILIES

Compiled by  
James P. Smith, Jr.  
Professor Emeritus of Botany  
Department of Biological Sciences  
Humboldt State University  
Arcata, California

## PART I • FAMILIES ARRANGED ALPHABETICALLY

### LYCOPHYTES

|      |                 |
|------|-----------------|
| 1760 | Isoëtaceae      |
| 1802 | Lycopodiaceae   |
| 1854 | Selaginellaceae |

### FERNS

|      |                   |
|------|-------------------|
| 1840 | Adiantaceae       |
| 1877 | Asplidiaceae      |
| 1877 | Aspleniaceae      |
| 1956 | Athyriaceae       |
| 1783 | Azollaceae        |
| 1947 | Blechnaceae       |
| 1900 | Ceratopteridaceae |
| 2001 | Cystopteridaceae  |
| 1901 | Dennstaedtiaceae  |
| 1965 | Dryopteridaceae   |
| 1802 | Marsileaceae      |
| 1827 | Cyathaeaceae      |
| 1833 | Hymenophyllaceae  |
| 1822 | Ophioglossaceae   |
| 1817 | Osmundaceae       |
| 0000 | Ceratopteridaceae |
| 1821 | Parkeriaceae      |
| 1820 | Polypodiaceae     |
| 1821 | Pteridaceae       |
| 1826 | Salviniaceae      |
| 1827 | Schizaeaceae      |
| 1970 | Thelypteridaceae  |
| 1940 | Vittariaceae      |
| 1949 | Woodsiaceae       |

### GYMNOSPERMS

|      |               |
|------|---------------|
| 1830 | Cupressaceae  |
| 1807 | Cycadaceae    |
| 1829 | Ephedraceae   |
| 1897 | Ginkgoaceae   |
| 1836 | Pinaceae      |
| 1847 | Podocarpaceae |

### FLOWERING PLANTS

|      |             |      |                  |
|------|-------------|------|------------------|
| 1821 | Taxaceae    | 1822 | Bixaceae         |
| 1884 | Taxodiaceae | 1822 | Bombacaceae      |
| 1834 | Zamiaceae   | 1789 | Boraginaceae     |
|      |             | 1835 | Brassicaceae     |
|      |             | 1789 | Bromeliaceae     |
|      |             | 1910 | Buddlejaceae     |
|      |             | 1827 | Burmanniaceae    |
|      |             | 1824 | Burseraceae      |
|      |             | 1804 | Butomaceae       |
|      |             | 1822 | Buxaceae         |
|      |             | 1828 | Cabombaceae      |
|      |             | 1789 | Cactaceae        |
|      |             | 1814 | Caesalpiniaceae  |
|      |             | 1821 | Callitrichaceae  |
|      |             | 1819 | Calycanthaceae   |
|      |             | 1994 | Camassiacae      |
|      |             | 1789 | Campanulaceae    |
|      |             | 1832 | Canellaceae      |
|      |             | 1837 | Cannabaceae      |
|      |             | 1789 | Cannaceae        |
|      |             | 1789 | Capparaceae      |
|      |             | 1789 | Caprifoliaceae   |
|      |             | 1829 | Caricaceae       |
|      |             | 1789 | Caryophyllaceae  |
|      |             | 1814 | Casuarinaceae    |
|      |             | 1978 | Cecropiaceae     |
|      |             | 1814 | Celastraceae     |
|      |             | 1993 | Celtidaceae      |
|      |             | 1821 | Ceratophyllaceae |
|      |             | 1799 | Chenopodiaceae   |
|      |             | 1818 | Chrysobalanaceae |
|      |             | 1822 | Cistaceae        |
|      |             | 1825 | Cleomaceae       |
|      |             | 1851 | Cletharaceae     |
|      |             | 1836 | Clusiaceae       |
|      |             | 1898 | Cochlospermaceae |
|      |             | 1805 | Colchicaceae     |
|      |             | 2010 | Comandraceae     |
|      |             | 1810 | Combretaceae     |
|      |             | 1810 | Commelinaceae    |
|      |             | 1792 | Compositae       |
|      |             | 1834 | Convallariaceae  |
|      |             | 1789 | Convolvulaceae   |
|      |             | 1829 | Cornaceae        |

|      |                    |      |                  |      |                  |
|------|--------------------|------|------------------|------|------------------|
| 1815 | Corylaceae         | 1820 | Hydrocotylaceae  | 1820 | Nolanaceae       |
| 1941 | Costaceae          | 1817 | Hydrophyllaceae  | 1943 | Nolinaceae       |
| 1805 | Crassulaceae       | 1814 | Hypoxidaceae     | 1962 | Nothofagaceae    |
| 1897 | Crossosomataceae   | 1814 | Hypoxidaceae     | 1789 | Nyctaginaceae    |
| 1789 | Cruciferae         | 1810 | Illecebraceae    | 1805 | Nymphaeaceae     |
| 1789 | Cucurbitaceae      | 1825 | Illiciaceae      | 1829 | Nyssaceae        |
| 1829 | Cuscutaceae        | 1789 | Iridaceae        | 1813 | Oleaceae         |
| 1824 | Cyclanthaceae      | 1824 | Juglandaceae     | 1789 | Onagraceae       |
| 1789 | Cyperaceae         | 1789 | Juncaceae        | 1789 | Orchidaceae      |
| 1841 | Cyrillaceae        | 1808 | Juncaginaceae    | 1799 | Orobanchaceae    |
| 1830 | Datiscaceae        | 1895 | Koeberliniaceae  | 1818 | Oxalidaceae      |
| 1836 | Diapensiaceae      | 1829 | Krameriaceae     | 1830 | Paeoniaceae      |
| 1998 | Diervilleaceae     | 1789 | Labiatae         | 1789 | Palmae           |
| 1807 | Dilleniaceae       | 1820 | Lamiaceae        | 1810 | Pandanaceae      |
| 1810 | Dioscoreaceae      | 1789 | Lauraceae        | 1789 | Papaveraceae     |
| 1789 | Dispsacaceae       | 1902 | Laxmanniaceae    | 1821 | Parnassiaceae    |
| 1866 | Dracaenaceae       | 1789 | Leguminosae      | 1817 | Passifloraceae   |
| 1808 | Droseraceae        | 1821 | Lemnaceae        | 1949 | Paulowniaceae    |
| 1891 | Ebenaceae          | 1870 | Lennoaceae       | 1810 | Pedaliaceae      |
| 1827 | Ehretiaceae        | 1808 | Lentibulariaceae | 1901 | Penthoraceae     |
| 1789 | Elaeagnaceae       | 1829 | Lilaeaceae       | 1824 | Petiveriaceae    |
| 1824 | Elaeocarpaceae     | 1789 | Liliaceae        | 1847 | Phrymaceae       |
| 1829 | Elatinaceae        | 1833 | Limnanthaceae    | 1820 | Phyllanthaceae   |
| 1821 | Empetraceae        | 1981 | Limnocharitaceae | 1818 | Phytolaccaceae   |
| 1789 | Ericaceae          | 1821 | Linaceae         | 1917 | Picroidendraceae |
| 1828 | Eriocaulaceae      | 2005 | Linderniaceae    | 1824 | Piperaceae       |
| 1822 | Erythroxylaceae    | 1998 | Linnaeaceae      | 1814 | Pittosporaceae   |
| 1829 | Escalloniaceae     | 1804 | Loasaceae        | 1789 | Plantaginaceae   |
| 1789 | Euphorbiaceae      | 1813 | Lobeliaceae      | 1829 | Platanaceae      |
| 1836 | Fabaceae           | 1827 | Loganiaceae      | 1789 | Plumbaginaceae   |
| 1829 | Fagaceae           | 1808 | Loranthaceae     | 1895 | Poaceae          |
| 1824 | Flacourtiaceae     | 1805 | Lythraceae       | 1836 | Podophyllaceae   |
| 1828 | Fouquieriaceae     | 1789 | Magnoliaceae     | 1822 | Podostemaceae    |
| 1821 | Frankeniaceae      | 1789 | Malpighiaceae    | 1789 | Polemoniaceae    |
| 1820 | Fumariaceae        | 1789 | Malvaceae        | 1814 | Polygalaceae     |
| 1834 | Garryaceae         | 1888 | Marantaceae      | 1789 | Polygonaceae     |
| 1789 | Gentianaceae       | 1797 | Melanthiaceae    | 1816 | Pontederiaceae   |
| 1789 | Geraniaceae        | 1789 | Melastomataceae  | 1789 | Portulacaceae    |
| 1822 | Gesneriaceae       | 1789 | Meliaceae        | 1829 | Potamogetonaceae |
| 1972 | Glaucidiaceae      | 1831 | Melianthaceae    | 1799 | Primulaceae      |
| 1810 | Goodeniaceae       | 1789 | Menispermaceae   | 1789 | Proteaceae       |
| 1789 | Gramineae          | 1829 | Menyanthaceae    | 1753 | Punicaceae       |
| 1805 | Grossulariaceae    | 1814 | Mimosaceae       | 1829 | Pyrolaceae       |
| 1841 | Gunneraceae        | 1926 | Molluginaceae    | 1829 | Rafflesiaceae    |
| 1789 | Guttiferae         | 1818 | Monotropaceae    | 1789 | Ranunculaceae    |
| 1810 | Haemodoraceae      | 1820 | Montiaceae       | 1821 | Resedaceae       |
| 1814 | Haloragaceae       | 1831 | Moraceae         | 1789 | Rhamnaceae       |
| 1818 | Hamamelidaceae     | 1820 | Moringaceae      | 1814 | Rhizophoraceae   |
| 1895 | Heliconiaceae      | 1789 | Musaceae         | 1789 | Rosaceae         |
| 1810 | Hemerocallidaceae  | 1810 | Myoporaceae      | 1789 | Rubiaceae        |
| 1972 | Hesperocallidaceae | 1829 | Myricaceae       | 1840 | Ruscaceae        |
| 1824 | Hippocastanaceae   | 1810 | Myrsinaceae      | 1789 | Rutaceae         |
| 1821 | Hippridaceae       | 1789 | Myrtaceae        | 1815 | Salicaceae       |
| 1988 | Hostaceae          | 1789 | Najadaceae       | 1797 | Sambucaceae      |
| 1797 | Hyacinthaceae      | 2016 | Namaceae         | 1820 | Samolaceae       |
| 1797 | Hyacinthaceae      | 1846 | Nartheciaceae    | 1810 | Santalaceae      |
| 1829 | Hydrangeaceae      | 1829 | Nelumbonaceae    | 1789 | Sapindaceae      |
| 1789 | Hydrocharitaceae   | 1830 | Nitrariaceae     | 1789 | Sapotaceae       |

|      |                |
|------|----------------|
| 1829 | Sarraceniaceae |
| 1827 | Saururaceae    |

|      |                  |      |                 |      |                  |
|------|------------------|------|-----------------|------|------------------|
| 1830 | Scheuchzeriaceae | 1836 | Tetragoniaceae  | 1789 | Urticaceae       |
| 1830 | Schisandraceae   | 1816 | Theaceae        | 1802 | Valerianaceae    |
| 1789 | Scrophulariaceae | 1866 | Themidaceae     | 1829 | Vallisneriaceae  |
| 1811 | Simaroubaceae    | 1829 | Theophrastaceae | 1805 | Verbenaceae      |
| 1900 | Simmondsiaceae   | 1789 | Thymeliaceae    | 1817 | Veronicaceae     |
| 1799 | Smilacaceae      | 1789 | Tiliaceae       | 1820 | Viburnaceae      |
| 1789 | Solanaceae       | 1995 | Tofieldiaceae   | 1802 | Violaceae        |
| 1834 | Stapeliaceae     | 1891 | Tovariaceae     | 1802 | Viscaceae        |
| 1829 | Staphyleaceae    | 1829 | Trapaceae       | 1789 | Vitaceae         |
| 1830 | Sterculiaceae    | 1827 | Trilliaceae     | 1823 | Xyridaceae       |
| 1934 | Strelitziaceae   | 1824 | Tropaeolaceae   | 1829 | Zannichelliaceae |
| 1829 | Styracaceae      | 1828 | Turneraceae     | 1835 | Zingiberaceae    |
| 1820 | Symplocaceae     | 1789 | Typhaceae       | 1829 | Zosteraceae      |
| 2001 | Talinaceae       | 1815 | Ulmaceae        | 1814 | Zygophyllaceae   |
| 1821 | Tamaricaceae     | 1789 | Umbelliferae    |      |                  |
| 1862 | Tecophilaeaceae  |      |                 |      |                  |

## PART II • FAMILIES ARRANGED CHRONOLOGICALLY

| LYCOPHYTES |                   | GYMNOSPERMS |                  | FLOWERING PLANTS |                  |
|------------|-------------------|-------------|------------------|------------------|------------------|
| 1760       | Isoëtaceae        | 1807        | Cycadaceae       | 1789             | Labiatae         |
| 1802       | Lycopodiaceae     | 1821        | Taxaceae         | 1789             | Aristolochiaceae |
| 1854       | Selaginellaceae   | 1829        | Ephedraceae      | 1789             | Lauraceae        |
| FERNS      |                   | 1830        | Cupressaceae     | 1789             | Asparagaceae     |
| 1783       | Azollaceae        | 1834        | Zamiaceae        | 1789             | Asphodelaceae    |
| 1802       | Marsileaceae      | 1836        | Pinaceae         | 1789             | Aceraceae        |
| 1817       | Osmundaceae       | 1847        | Podocarpaceae    | 1789             | Scrophulariaceae |
| 1820       | Polypodiaceae     | 1884        | Taxodiaceae      | 1789             | Sapotaceae       |
| 1821       | Parkeriaceae      | 1897        | Ginkgoaceae      | 1789             | Sapindaceae      |
| 1821       | Pteridaceae       |             |                  | 1789             | Liliaceae        |
| 1822       | Ophioglossaceae   | 1753        | Punicaceae       | 1789             | Euphorbiaceae    |
| 1826       | Salviniaceae      | 1789        | Hydrocharitaceae | 1789             | Berberidaceae    |
| 1827       | Cyathaeaceae      | 1789        | Guttiferae       | 1789             | Rutaceae         |
| 1827       | Schizaeaceae      | 1789        | Iridaceae        | 1789             | Bignoniaceae     |
| 1833       | Hymenophyllaceae  | 1789        | Gramineae        | 1789             | Rubiaceae        |
| 1840       | Adiantaceae       | 1789        | Juncaceae        | 1789             | Rosaceae         |
| 1877       | Aspidiaceae       | 1789        | Geraniaceae      | 1789             | Boraginaceae     |
| 1877       | Aspleniaceae      | 1789        | Urticaceae       | 1789             | Ericaceae        |
| 1901       | Dennstaedtiaceae  | 1789        | Gentianaceae     | 1789             | Rhamnaceae       |
| 1940       | Vittariaceae      | 1789        | Umbelliferae     | 1789             | Bromeliaceae     |
| 1947       | Blechnaceae       | 1789        | Amaranthaceae    | 1789             | Ranunculaceae    |
| 1949       | Woodsiaceae       | 1789        | Amaryllidaceae   | 1789             | Vitaceae         |
| 1956       | Athyriaceae       | 1789        | Typhaceae        | 1789             | Proteaceae       |
| 1965       | Dryopteridaceae   | 1789        | Annonaceae       | 1789             | Magnoliaceae     |
| 1900       | Ceratopteridaceae | 1789        | Tiliaceae        | 1789             | Malpighiaceae    |
| 1970       | Thelypteridaceae  | 1789        | Apocynaceae      | 1789             | Portulacaceae    |
| 2001       | Cystopteridaceae  | 1789        | Thymeliaceae     | 1789             | Cactaceae        |
|            |                   | 1789        | Solanaceae       | 1789             | Malvaceae        |
|            |                   | 1789        | Araceae          | 1789             | Polygonaceae     |
|            |                   | 1789        | Araliaceae       | 1789             | Elaeagnaceae     |

|      |                  |      |                   |      |                  |
|------|------------------|------|-------------------|------|------------------|
| 1789 | Capparaceae      | 1810 | Myrsinaceae       | 1822 | Cistaceae        |
| 1789 | Caprifoliaceae   | 1810 | Pandanaceae       | 1822 | Balsaminaceae    |
| 1789 | Plumbaginaceae   | 1810 | Hemerocallidaceae | 1822 | Buxaceae         |
| 1789 | Caryophyllaceae  | 1810 | Myoporaceae       | 1822 | Bixaceae         |
| 1789 | Dispsacaceae     | 1811 | Simaroubaceae     | 1822 | Bombacaceae      |
| 1789 | Plantaginaceae   | 1813 | Lobeliaceae       | 1822 | Podostemaceae    |
| 1789 | Melastomataceae  | 1813 | Oleaceae          | 1823 | Xyridaceae       |
| 1789 | Meliaceae        | 1814 | Mimosaceae        | 1824 | Petiveriaceae    |
| 1789 | Menispermaceae   | 1814 | Pittosporaceae    | 1824 | Hippocastanaceae |
| 1789 | Cyperaceae       | 1814 | Celastraceae      | 1824 | Elaeocarpaceae   |
| 1789 | Papaveraceae     | 1814 | Haloragaceae      | 1824 | Juglandaceae     |
| 1789 | Musaceae         | 1814 | Zygophyllaceae    | 1824 | Cyclanthaceae    |
| 1789 | Cucurbitaceae    | 1814 | Hypoxidaceae      | 1824 | Tropaeolaceae    |
| 1789 | Palmae           | 1814 | Rhizophoraceae    | 1824 | Burseraceae      |
| 1789 | Cruciferae       | 1814 | Hypoxidaceae      | 1824 | Piperaceae       |
| 1789 | Orchidaceae      | 1814 | Casuarinaceae     | 1824 | Flacourtiaceae   |
| 1789 | Myrtaceae        | 1814 | Caesalpiniaceae   | 1825 | Aucubaceae       |
| 1789 | Onagraceae       | 1814 | Polygalaceae      | 1825 | Begoniaceae      |
| 1789 | Najadaceae       | 1815 | Corylaceae        | 1825 | Illiciaceae      |
| 1789 | Nyctaginaceae    | 1815 | Salicaceae        | 1825 | Cleomaceae       |
| 1789 | Convolvulaceae   | 1815 | Ulmaceae          | 1827 | Saururaceae      |
| 1792 | Compositae       | 1816 | Pontederiaceae    | 1827 | Loganiaceae      |
| 1797 | Hyacinthaceae    | 1816 | Theaceae          | 1827 | Burmanniaceae    |
| 1797 | Sambucaceae      | 1817 | Veronicaceae      | 1827 | Trilliaceae      |
| 1797 | Hyacinthaceae    | 1817 | Passifloraceae    | 1827 | Ehretiaceae      |
| 1797 | Alliaceae        | 1817 | Hydrophyllaceae   | 1828 | Fouquieriaceae   |
| 1797 | Melanthiaceae    | 1818 | Oxalidaceae       | 1828 | Turneraceae      |
| 1799 | Alismataceae     | 1818 | Phytolaccaceae    | 1828 | Eriocaulaceae    |
| 1799 | Orobanchaceae    | 1818 | Chrysobalanaceae  | 1828 | Cabombaceae      |
| 1799 | Primulaceae      | 1818 | Hamamelidaceae    | 1829 | Hydrangeaceae    |
| 1799 | Smilacaceae      | 1818 | Monotropaceae     | 1829 | Myricaceae       |
| 1799 | Chenopodiaceae   | 1819 | Calycanthaceae    | 1829 | Alstroemeriaceae |
| 1802 | Valerianaceae    | 1820 | Asteraceae        | 1829 | Staphyleaceae    |
| 1802 | Violaceae        | 1820 | Lamiaceae         | 1829 | Cuscutaceae      |
| 1802 | Viscaceae        | 1820 | Fumariaceae       | 1829 | Nyssaceae        |
| 1802 | Aloaceae         | 1820 | Phyllanthaceae    | 1829 | Pyrolaceae       |
| 1804 | Loasaceae        | 1820 | Arecaceae         | 1829 | Cornaceae        |
| 1804 | Butomaceae       | 1820 | Symplocaceae      | 1829 | Lilaeaceae       |
| 1805 | Lythraceae       | 1820 | Viburnaceae       | 1829 | Styracaceae      |
| 1805 | Nymphaeaceae     | 1820 | Acoraceae         | 1829 | Vallisneriaceae  |
| 1805 | Grossulariaceae  | 1820 | Nolanaceae        | 1829 | Escalloniaceae   |
| 1805 | Verbenaceae      | 1820 | Moringaceae       | 1829 | Nelumbonaceae    |
| 1805 | Crassulaceae     | 1820 | Montiaceae        | 1829 | Fagaceae         |
| 1805 | Colchicaceae     | 1820 | Samolaceae        | 1829 | Zosteraceae      |
| 1807 | Dilleniaceae     | 1820 | Hydrocotylaceae   | 1829 | Sarraceniaceae   |
| 1808 | Lentibulariaceae | 1821 | Frankeniaceae     | 1829 | Elatinaceae      |
| 1808 | Droseraceae      | 1821 | Linaceae          | 1829 | Potamogetonaceae |
| 1808 | Loranthaceae     | 1821 | Lemnaceae         | 1829 | Zannichelliaceae |
| 1808 | Juncaginaceae    | 1821 | Tamaricaceae      | 1829 | Theophrastaceae  |
| 1810 | Combretaceae     | 1821 | Ceratophyllaceae  | 1829 | Rafflesiaceae    |
| 1810 | Dioscoreaceae    | 1821 | Hippocrateace     | 1829 | Menyanthaceae    |
| 1810 | Commelinaceae    | 1821 | Betulaceae        | 1829 | Trapaceae        |
| 1810 | Santalaceae      | 1821 | Resedaceae        | 1829 | Platanaceae      |
| 1810 | Pedaliaceae      | 1821 | Parnassiaceae     | 1829 | Caricaceae       |
| 1810 | Goodeniaceae     | 1821 | Empetraceae       | 1829 | Krameriaceae     |
| 1810 | Asclepiadaceae   | 1821 | Callitrichaceae   | 1830 | Scheuchzeriaceae |
| 1810 | Illecebraceae    | 1822 | Gesneriaceae      | 1830 | Datiscaceae      |
| 1810 | Haemodoraceae    | 1822 | Erythroxylaceae   | 1830 | Nitrariaceae     |

|      |                 |      |                  |      |                    |
|------|-----------------|------|------------------|------|--------------------|
| 1830 | Schisandraceae  | 1841 | Agavaceae        | 1902 | Laxmanniaceae      |
| 1830 | Aizoaceae       | 1841 | Cyrillaceae      | 1910 | Buddlejaceae       |
| 1830 | Sterculiaceae   | 1841 | Gunneraceae      | 1917 | Picrodendraceae    |
| 1830 | Paeoniaceae     | 1842 | Bataceae         | 1926 | Molluginaceae      |
| 1830 | Anacardiaceae   | 1846 | Nartheciaceae    | 1934 | Strelitziaceae     |
| 1830 | Aquifoliaceae   | 1847 | Phrymaceae       | 1941 | Costaceae          |
| 1831 | Moraceae        | 1850 | Agapanthaceae    | 1943 | Nolinaceae         |
| 1831 | Melianthaceae   | 1851 | Clethraceae      | 1949 | Paulowniaceae      |
| 1832 | Canellaceae     | 1853 | Adoxaceae        | 1962 | Nothofagaceae      |
| 1833 | Limnanthaceae   | 1858 | Aponogetonaceae  | 1972 | Glaucidiaceae      |
| 1834 | Garryaceae      | 1862 | Tecophilaeaceae  | 1972 | Hesperocallidaceae |
| 1834 | Stapeliaceae    | 1866 | Themidaceae      | 1978 | Cecropiaceae       |
| 1834 | Convallariaceae | 1866 | Dracaenaceae     | 1981 | Limnocharitaceae   |
| 1835 | Zingiberaceae   | 1870 | Lennoaceae       | 1988 | Hostaceae          |
| 1835 | Brassicaceae    | 1888 | Marantaceae      | 1993 | Celtidaceae        |
| 1836 | Tetragoniaceae  | 1891 | Ebenaceae        | 1994 | Camassiaceae       |
| 1836 | Fabaceae        | 1891 | Tovariaceae      | 1995 | Tofieldiaceae      |
| 1836 | Apiaceae        | 1895 | Poaceae          | 1998 | Diervilleaceae     |
| 1836 | Clusiaceae      | 1895 | Koeberliniaceae  | 1998 | Linnaeaceae        |
| 1836 | Diapensiaceae   | 1895 | Heliconiaceae    | 2001 | Talinaceae         |
| 1836 | Podophyllaceae  | 1897 | Crossosomataceae | 2005 | Linderniaceae      |
| 1837 | Cannabaceae     | 1898 | Cochlospermaceae | 2010 | Comandraceae       |
| 1840 | Basellaceae     | 1900 | Simmondsiaceae   | 2016 | Namaceae           |
| 1840 | Ruscaceae       | 1901 | Penthoraceae     |      |                    |
| 1841 | Avicenniaceae   |      |                  |      |                    |

## SOURCES

Brummitt, R. K. 1992. Vascular plant families and genera. Royal Botanic Gardens. Kew, U. K.

Reveal, J. L. 2012. An outline of a classification scheme for extant flowering plants. *Phytoneuron* 2012-37: 1-221.

Revised: 9 June 2017