

Humboldt State University

## Digital Commons @ Humboldt State University

---

Botanical Studies

Open Educational Resources and Data

---

2019

### Grasses of the Conterminous United States: Persons after Whom Grasses Have Been Named

James P. Smith Jr.  
*Humboldt State University*

Follow this and additional works at: [https://digitalcommons.humboldt.edu/botany\\_jps](https://digitalcommons.humboldt.edu/botany_jps)



Part of the [Botany Commons](#)

---

#### Recommended Citation

Smith, James P. Jr., "Grasses of the Conterminous United States: Persons after Whom Grasses Have Been Named" (2019). *Botanical Studies*. 60.

[https://digitalcommons.humboldt.edu/botany\\_jps/60](https://digitalcommons.humboldt.edu/botany_jps/60)

This Grasses-United States is brought to you for free and open access by the Open Educational Resources and Data at Digital Commons @ Humboldt State University. It has been accepted for inclusion in Botanical Studies by an authorized administrator of Digital Commons @ Humboldt State University. For more information, please contact [kyle.morgan@humboldt.edu](mailto:kyle.morgan@humboldt.edu).

# GRASSES ENDEMIC TO THE CONTERMINOUS UNITED STATES

James P. Smith, Jr.  
Professor Emeritus of Botany  
Department of Biological Sciences  
Humboldt State University  
Arcata, California

26 December 2019

## INTRODUCTION

For a grass to be an endemic, it must be native and be restricted to the area specified, in this case the conterminous United States. Native plants cultivated or introduced outside their natural range are still treated as endemic. There are degrees of endemism. A grass may be known from a single historical collection, one or a few extant populations, a county, a state, a few contiguous states, a region (e. g., the southeastern U. S.), or it may occur widely in many states - but no where else. These grasses seem to have been reluctant to wander into Canada, Mexico, or the Carribean.

Judgement is sometimes required. For instance, maps and herbarium specimens show a particular grass is found in two adjacent states. Of the 250 records available, 249 are from one state and only one from the other... and it was collected in 1906. I have ignored the 1906 specimen.

Many of our grasses are found in only one or a few states, where I show them by their 2-letter postal codes. Others are more widespread. They are coded as follows:

W • West Coast (WA, OR, & CA)  
M • mountain states (ID and MT south to AZ & NM)  
C • central states (ND & MN south to TX)  
G • Great Lakes (WI & MI south to OH & KY)  
N • Northeast (New England south to WV & VA)  
S • Southeast (AR to NC south to LA to FL)

By my count, there are eight genera and 352 grasses endemic to the conterminous United States.

## ENDEMIC GENERA

Amphicarpum (2 species)  
Anthraenantia (3 species)  
Chasmanthium (5 species)  
Neostapfia (1 species • California)  
Redfieldia (1 species)  
Scribneria (1 species) (1 specimen from Baja California)  
Swallenia (1 species • California)  
Vaseyochloa (1 species • Texas)

## ALMOST ENDEMIC GENERA

Orcuttia (1 of 5 in Baja California)  
Schedonnardus (1 of 1 in Canada and Mexico)  
Tuctoria (1 of 3 in Baja California)

## ENDEMIC PLANTS

*Achnatherum wallowaensis* • OR  
*Agrostis blasdalei* • CA

*Agrostis densiflora* • CA, OR  
*Agrostis hallii* • CA, OR  
*Agrostis hendersonii* • CA, OR  
*Agrostis hooveri* • CA  
*Agrostis howellii* • OR  
*Agrostis lacuna-vernalis*: CA (Monterey Co.)  
*Agrostis rossiae* • WY  
*Alopecurus aequalis* var. *sonomensis* • CA  
*Alopecurus saccatus* • CA, ID, OR, WA  
*Ammophila champlainensis* • NY, VT  
*Amphicarpum amphicarpon* • N, S  
*Amphicarpum muhlenbergianum* • AL, FL, GA, NC, SC  
*Andropogon arctatus* • AL, FL, NC  
*Andropogon brachystachyus* • FL, GA, NC, SC  
*Andropogon cumulicola* • FL  
*Andropogon floridanus* • AL, FL, GA  
*Andropogon glomeratus* var. *glaucopsis* • TX, N, S  
*Andropogon glomeratus* var. *hirsutior* • C, G, N, S  
*Andropogon gyrans* var. *stenophyllus* • TX, N, S  
*Andropogon liebmannii* var. *pungensis* • N, S  
*Andropogon miamiensis* • FL  
*Andropogon ternarius* var. *cabanisii* • FL  
*Andropogon tracyi* • AL, FL, GA, MS, NC, SC  
*Andropogon virginicus* var. *decepiens* • FL, NC, SC, VA  
*Andropogon virginicus* var. *glaucus* • NJ to TX  
*Anthraenantia rufa* • TX, S  
*Anthraenantia texana* • AR, LA, TX  
*Anthraenantia villosa* • TX, S  
*Anthoxanthum occidentale* • CA, OR, WA  
*Aristida condensata* • AL, FL, GA, MS, NC, SC  
*Aristida desmantha* • C, IL, MI, LA  
*Aristida dichotoma* var. *curtissii* • M, C, G, N, S  
*Aristida gyrans* • FL, GA  
*Aristida lanosa* • C, G, N, S  
*Aristida mohrii* • AL, FL, GA, SC  
*Aristida palustris* • TX, KY, NC, S  
*Aristida patula* • FL  
*Aristida purpurascens* var. *tenuispica* • S  
*Aristida purpurascens* var. *virgata* • TX, N, S  
*Aristida ramosissima* • C, G, S  
*Aristida rhizomorpha* • FL  
*Aristida simpliciflora* • AL, FL, GA, MS, NC  
*Aristida stricta* • NC, SC  
*Aristida tuberculosa* • C, G, N, S  
*Arundinaria appalachiana* • AL, GA, NC, SC, TN  
*Arundinaria gigantea* • C, G, N, S  
*Arundinaria tecta* • OK, TX, N, S  
*Axonopus furcatus* • C, N, S  
  
*Blepharidachne kingii* • CA, ID, UT, NV  
*Bouteloua hirsuta* ssp. *pectinata* • OK, TX  
*Bouteloua kayi* • TX (Brewster Co.)  
*Bromus frondosus* • AZ, CO, NM, UT  
*Bromus hallii* • CA

*Bromus laevipes* · CA, NV, OR, WA  
*Bromus maritimus* · CA, OR  
*Bromus orcuttianus* · CA, AZ, NV, OR, WA  
*Bromus pseudolaevipes* · CA  
*Bromus suksdorfii* · CA, ID, NV, OR, WA  
  
*Calamagrostis bolanderi* · CA  
*Calamagrostis breweri* · CA, OR  
*Calamagrostis cainii* · NC, TN  
*Calamagrostis foliosa* · CA  
*Calamagrostis howellii* · OR, WA  
*Calamagrostis koelerioides* · CA, ID, MT, OR, WA, WY  
*Calamagrostis muiriana* · CA  
*Calamagrostis ophiditis* · CA  
*Calamagrostis perplexa* · NY (Thompkins Co.)  
*Calamagrostis porteri* ssp. *insperata* · C, G, S  
*Calamagrostis porteri* ssp. *porteri* · G, N, S  
*Calamagrostis scopulorum* · AZ, CO, MT, NM, UT, WY  
*Calamagrostis tacomensis* · OR, WA  
*Calamagrostis utsuensis* · OR (Harney Co.)  
*X Calammophila don-hensonii* · MI  
*Calamovilfa arcuata* · AL, AR, OK, TN  
*Calamovilfa brevipilis* · NC, NJ, SC, VA  
*Calamovilfa curtissii* · FL  
*Calamovilfa gigantea* · M, C  
*Chasmanthium latifolium* · M, C, N, S  
*Chasmanthium laxum* · C, G, N, S  
*Chasmanthium nitidum* · AL, FL, GA, NC, SC  
*Chasmanthium ornithorhynchum* · AL, FL, LA, MS, NC, SC  
*Chasmanthium sessiliflorum* · C, N, S  
*Chloris x subdolichostachya* · AZ, KS, LA, NM, TX  
*Chloris texensis* · TX  
*Cinna bolanderi* · CA  
*Coelorachis cylindrica* · C, S  
*Coelorachis rugosa* · TX, N, S  
*Coelorachis tessellata* · AL, FL, GA, LA, MS  
*Coelorachis tuberculosa* · AL, FL, GA  
*Ctenium aromaticum* · N, S  
*Ctenium floridanum* · FL, GA  
  
*Danthonia epilis* · GA, NC, NJ, SC, TN, VA  
*Danthonia sericea* · C, G, N, S  
*Diarrhena americana* · C, G, N, S  
*Digitaria arenicola* · TX  
*Digitaria floridana* · FL  
*Digitaria gracillima* · FL  
*Digitaria leucocoma* · FL (Lake Co.)  
*Digitaria pauciflora* · FL  
*Digitaria simpsonii* · FL  
*Digitaria texana* · FL, TX  
  
*Echinochloa paludigena* · FL, TX  
*X Elyhordeum californicum* · CA  
*X Elyhordeum dakotense* · SD (Brookings Co.)  
*X Elyhordeum iowense* · IA, MT, ND, NE  
*X Elyhordeum piperi* · OR, WA  
*X Elyhordeum stebbinsianum* · CA, OR, WA  
*Elymus ambiguus* ssp. *ambiguus* · CO, MT, NM, WY  
*Elymus ambiguus* ssp. *salmonis* · ID, NV, UT  
*Elymus x aristatus* · CA, CO, ID, NV, OR, WA, WY  
*Elymus bakeri* · W, M  
*Elymus californicus* · CA  
*Elymus churchii* · AR, MO, OK  
*Elymus elymoides* ssp. *hordeoides* · CA, ID, NV, OR, WA  
*Elymus flavescens* · ID, OR, SD, WA  
*Elymus glabriflorus* · C, G, N, S  
*Elymus glaucus* ssp. *mackenzii* · AK, MO, OK  
*Elymus hystrix* var. *bigelovianus* · C, G, N, NC  
*Elymus hystrix* var. *pedmontanus* · NC (Chatham Co.)  
*Elymus x pinaloensis* · AZ (Graham Co.)  
  
*Elymus pacificus* · CA  
*Elymus salina* · CA, M  
*Elymus x saundersii* · W, C  
*Elymus sierrae* · CA, NV  
*Elymus simplex* · AZ, CA, CO, NV, OR, UT, WY  
*Elymus stebbinsii* · CA  
*Elymus svensonii* · AR, KY, MO, OK, TN  
*Elymus texensis* · TX  
*Elymus wawawaiensis* · ID, MT, OR, WA, WY  
*Eragrostis lutescens* · W, M  
*Eragrostis pectinacea* var. *tracyi* · FL  
*Eragrostis refracta* · C, VA, S  
*Eragrostis trichodes* · M, C, G, N, S  
*Eriochloa michauxii* var. *michauxii* · AL, FL, GA, SC  
*Eriochloa michauxii* var. *simpsonii* · FL  
*Eustachys floridana* · AL, FL, GA  
*Eustachys glauca* · AL, FL, GA, MS, NC, SC  
*Eustachys neglecta* · AL, FL, TX  
  
*Festuca brachyphylla* ssp. *breviculmis* · CA  
*Festuca brachyphylla* ssp. *coloradensis* · W, M  
*Festuca californica* var. *californica* · OR, CA  
*Festuca californica* var. *hitchcockiana* · CA  
*Festuca californica* var. *parishii* · CA  
*Festuca calligera* · AZ, CO, NM, UT, WY  
*Festuca dasyclada* · UT, CO  
*Festuca earlei* · AZ, CO, UT, NM  
*Festuca elmeri* · WA, OR, CA  
*Festuca kingii* · W, M, C  
*Festuca sciurea* · C, G, N, S  
*Festuca sororia* · AZ, CA, CO, MO, NM, UT  
*Festuca thurberi* · AZ, CO, NM, SC, UT, WY  
*Festuca versuta* · AR, KS, OK, TN, TX  
*Festuca washingtoniana* · WA  
  
*Glyceria acutiflora* · C, G, N, S  
*Glyceria nubigena* · NC, TN  
*Glyceria septentrionalis* var. *arkansana* · C, G, N, S  
*Greeneochloa tweedyi* · ID, MT, WA  
*Gymnopogon brevifolius* · C, N, S  
*Gymnopogon chapmanianus* · GA, FL  
  
*Helictotrichon mortonianum* · CO, NM, UT, WY  
*Hilaria jamesii* · W, M, C  
*Hordeum brachyantherum* ssp. *californicum* · CA, NV  
  
*Leersia hexandra* · TX, VA, S  
*Leersia lenticularis* · C, G, N, S  
*Leptoloma pubiflorum* var. *syrticola* · TX  
  
*Melica aristata* · CA, KY, NV, OR, WA  
*Melica californica* · CA, OR  
*Melica geyeri* var. *aristulata* · CA (Marin Co.)  
*Melica geyeri* var. *geyeri* · CA, OR  
*Melica mutica* · C, G, N, S  
*Melica stricta* var. *albicaulis* · CA  
*Melica stricta* var. *stricta* · CA, NV, OR, UT  
*Melica torreyana* · CA  
*Muhlenbergia bushii* · C, G, N, S  
*Muhlenbergia californica* · CA  
*Muhlenbergia curtifolia* · AZ, NV, UT  
*Muhlenbergia expansa* · TX, G, N, S  
*Muhlenbergia filiculmis* · AZ, CO, ND, NM, UT, WY  
*Muhlenbergia glabrifloris* · C, G, N, S  
*Muhlenbergia x involuta* · TX  
*Muhlenbergia jonesii* · CA  
*Muhlenbergia pungens* · M, C  
*Muhlenbergia reverchonii* · OK, TX  
*Muhlenbergia sericea* · AL, FL, GA, MS  
*Muhlenbergia straminea* · AZ, NM, TX

*Muhlenbergia tenuiflora* • AZ, NM, TX  
*Muhlenbergia thurberi* • AZ, CO, NM, NV, UT  
*Muhlenbergia torreyana* • N, S  
*Muhlenbergia villiflora* var. *villosa* • NM, TX  
  
*Neostapfia colusana* • CA  
  
*Orcuttia inaequalis* • CA  
*Orcuttia pilosa* • CA  
*Orcuttia tenuis* • CA  
*Orcuttia viscida* • CA (Sacramento Co.)  
*Oryzopsis swallenii* • ID, WY  
  
*Panicum aculeatum* • G, N, S  
*Panicum acuminatum* var. *columbianum* • G, N  
*Panicum acuminatum* var. *thermale* • CA (Sonoma Co.)  
*Panicum anceps* var. *anceps* • C, G, N, S  
*Panicum anceps* var. *rhizomatum* • TX, N, S  
*Panicum boscii* • C, G, N, S  
*Panicum brachyanthum* • AR, LA, MS, OK, TX  
*Panicum chamaelonche* var. *breve* • FL  
*Panicum chamaelonche* var. *chamalonche* • C, G, N, S  
*Panicum consanguineum* • C, G, N, S  
*Panicum dichotomum* var. *lucidum* • C, G, N, S  
*Panicum dichotomum* var. *mattamuskeetense* • N, S  
*Panicum dichotomum* var. *yadkinense* • C, G, N, S  
*Panicum ensifolium* var. *curtifolium* • TX, S  
*Panicum glabrifolium* • FL  
*Panicum gymnocarpon* • OK, TX, N, S  
*Panicum hillmanii* • CA, CO, IA, KS, NM, OK, TX  
*Panicum hirstii* • N, S  
*Panicum malacon* • N, S  
*Panicum malacophyllum* • OK, TX, N, S  
*Panicum microcarpon* • C, G, N, S  
*Panicum mohavense* • AZ, NM  
*Panicum mundum* • AL, NC, TN, VA  
*Panicum nudicaule* • AL, FL, LA, MS  
*Panicum philadelphicum* ssp. *lithophilum* • GA, NC, SC  
*Panicum pinetorum* • FL  
*Panicum polyanthes* • C, G, N, S  
*Panicum ravenelii* • C, G, N, S  
*Panicum recognitum* • CT, NJ, RI, PA  
*Panicum rigidulum* var. *abscissum* • FL  
*Panicum rigidulum* var. *combsii* • TX, N, S  
*Panicum rigidulum* var. *elongatum* • C, G, N, S  
*Panicum scabriusculum* • TX, N, S  
*Panicum verrucosum* • N, S  
*Paspalum bifidum* • C, N, S  
*Paspalum floridanum* • C, G, N, S  
*Paspalum laeve* • C, G, N, S  
*Paspalum praecox* • TX, IL, N, S  
*Paspalum separatum* • TX  
*Phalaris californica* • CA, OR  
*Phalaris lemmonii* • CA  
*Pleuropogon californicus* var. *californicus* • CA  
*Pleuropogon californicus* var. *davyi* • CA  
*Pleuropogon hooverianus* • CA  
*Pleuropogon oregonus* • OR  
*Poa abbreviata* ssp. *marshii* • CA, ID, MT, NV, WY  
*Poa arachnifera* • NM, C, IL, S  
*Poa arctica* ssp. *aperta* • CO, NM, WY  
*Poa arctica* ssp. *grayana* • CO, MT, NM, UT, WY  
*Poa arnowiae* • ID, UT  
*Poa atropurpurea* • CA  
*Poa autumnalis* • C, G, N, S  
*Poa chambersii* • OR  
*Poa chapmaniana* • C, G, N, S  
*Poa curtifolia* • WA  
*Poa cusickii* ssp. *cusickii* • WA, OR, CA, MT, ID, NV  
*Poa cuspidata* • G, N, S

*Poa diaboli* • CA (San Luis Obispo Co.)  
*Poa douglasii* • CA  
*Poa keckii* • CA  
*Poa kelloggii* • CA  
*Poa liebergii* • ID, NV, OR, WA  
*Poa mansfieldii* • OR (Harney Co.)  
*Poa x multnomae* • OR  
*Poa napensis* • CA (Napa Co.)  
*Poa occidentalis* • AZ, CO, NM, TX  
*Poa paludigena* • C, G, N, S  
*Poa piperi* • CA, OR  
*Poa pringlei* • CA, NV, OR  
*Poa reflexa* • W, M  
*Poa rhizomata* • CA, OR  
*Poa sierrae* • CA  
*Poa stebbinsii* • CA  
*Poa tenerrima* • CA  
*Poa tracyi* • CO, NM  
*Poa unilateralis* ssp. *pachypholis* • OR, WA  
*Poa unilateralis* ssp. *unilateralis* • CA, OR  
*Poa wallowensis* • OR  
*Poa wolfii* • AR, IA, IL, IN, MN, MO, OH, VA, WI  
*Puccinellia howellii* • CA (Shasta Co.)  
*Puccinellia lemmonii* • W, M  
*Puccinellia parishii* • CA, AZ, NM, TX  
*Puccinellia simplex* • CA, UT  
  
*Redfieldia flexuosa* • M, C, IL  
  
*Saccharum alopecuroides* • C, G, N, S  
*Saccharum baldwinii* • C, G, N, S  
*Saccharum brevibarbe* var. *brevibarbe* • C, IL, N, S  
*Saccharum brevibarbe* var. *contortum* • C, G, N, S  
*Saccharum coarctatum* • TX, N, S  
*Schizachyrium littorale* • C, G, N, S  
*Schizachyrium maritimum* • AL, FL, LA, MS  
*Schizachyrium niveum* • FL, GA  
*Schizachyrium rhizomatum* • FL  
*Schizachyrium scoparium* var. *divergens* • TX, G, N, S  
*Schizachyrium scoparium* var. *stoloniferum* • S  
*Scribneria bolanderi* • CA, OR, WA († ?)  
*Setaria reverchonii* ssp. *firmula* • OK, TX  
*Sorghastrum elliottii* • OK, TX, IN, N, S  
*Sorghastrum secundum* • KS, S  
*Spartina bakeri* • FL, GA, SC, TX  
*Spartina cynosuroides* • TX, N, S  
*Sphenopholis filiformis* • OK, TX, NC, S  
*Sphenopholis longiflora* • AR, LA, TX  
*Sphenopholis x pallens* • G, N, S  
*Sphenopholis pennsylvanica* • C, G, N, S  
*Sporobolus clandestinus* • C, G, N, S  
*Sporobolus compositus* var. *drummondii* • C, S  
*Sporobolus compositus* var. *macer* • C, LA  
*Sporobolus curtissii* • AL, FL, GA, SC  
*Sporobolus floridanus* • AL, FL, GA, SC  
*Sporobolus interruptus* • AZ  
*Sporobolus pinetorum* • GA, NC, SC  
*Sporobolus silveanus* • LA, OK, TX  
*Sporobolus teretifolius* • AL, GA, NC, SC  
*Sporobolus texanus* • M, C  
*Sporobolus tharpianii* • TX  
*Stipa arida* • AZ, CA, CO, NM, NV, TX, UT  
*Stipa arnowiae* • UT, AZ, CO  
*Stipa avenacioides* • FL  
*Stipa x bloomeri* • W, M  
*Stipa contracta* • CO, MT, UT, WY  
*Stipa hendersonii* • ID, OR, WA  
*Stipa kingii* • CA  
*Stipa x latiglumis* • CA  
*Stipa lemmonii* var. *pubescens* • CA

*Stipa lettermanii* • W, M  
*Stipa lobata* • AZ, NM, TX  
*Stipa nevadensis* • W, M  
*Stipa occidentalis* var. *occidentalis* • CA  
*Stipa perplexa* • AZ, NM, TX, UT  
*Stipa pinetorum* • W, M  
*Stipa porteri* • CO, NM  
*Stipa scribneri* • CO, NM, OK, TX, WY  
*Stipa shoshoneana* • ID, NV  
*Stipa stillmanii* • CA  
*Stipa thurberiana* • W, M  
*Stipa webberi* • CA, CO, ID, NV, OR, SD, UT  
*Swallenia alexandrae* • CA (Inyo Co.)

*Torreyochloa erecta* • CA, OR, NV  
*Tridens ambiguus* • AL, FL, GA, LA, MS, NC, SC, TX  
*Tridens buckleyanus* • TX  
*Tridens carolinianus* • AL, FL, GA, LA, MS, NC, SC  
*Tridens congestus* • AZ, TX  
*Tridens flavus* var. *chapmanii* • C, N, S  
*Tridens muticus* var. *elongatus* • M, C, AR, LA  
*Tridens strictus* • C, IL, N, S  
*Triplasis americana* • AL, FL, GA, LA, MS, NC, SC  
*Trisetum orthochaetum* • MT (Missoula Co.)  
*Trisetum spicatum* var. *projectum* • CA, MT, NV  
*Tuctoria greenii* • CA  
*Tuctoria mucronata* • CA (Solano Co.)

*Urochloa ciliatissima* • AR, NM, OK, TX

*Vaseyochloa multinervosa* • TX

*Willkommia texana* var. *texana* • OK, TX

*Zizania texana* • TX (Hays Co.)

## PRIMARY SOURCES

- Barkworth, M. E. et al. (editors). 2003; 2007. Flora North America north of Mexico. Volumes 24 & 25. Oxford University Press.
- Beetle, A. A. 1983. Las Gramineas de Mexico. Secretaria de Agricultura y Recursos Hidraulicos. Tomo I. 259 pp.
- Beetle, A. A. 1987. Las Gramineas de Mexico. Secretaria de Agricultura y Recursos Hidraulicos. Tomo I. 344 pp.
- Catalogue of New World Grasses.  
[tropicos.org/Project/CNWG](http://tropicos.org/Project/CNWG)
- Database of vascular plants of Canada (VASCAN).  
[data.canadensys.net/vascan](http://data.canadensys.net/vascan)
- Hitchcock, A. S. 1951. Manual of the grasses of the United States. Second edition revised by A. Chase.
- Kartesz, J. The biota of North America Program. North American vascular flora. [bonap.org](http://bonap.org)
- Plants database. Natural Resources Conservation Service. U. S. Department of Agriculture. [plants.usda.gov](http://plants.usda.gov)
- Rebman, J. P., J. Gibson, & K. Rich. 2016. Annotated checklist of the vascular plants of Baja California, Mexico. Proc. San Diego Soc. Nat. Hist. Number 45: 1-352.