

Cal Poly Humboldt

## Digital Commons @ Cal Poly Humboldt

---

Botanical Studies

Open Educational Resources and Data

---

8-30-2019

# Families of California Vascular Plants: Evolving Concepts and Discoveries

James P. Smith Jr

*Humboldt State University*, [james.smith@humboldt.edu](mailto:james.smith@humboldt.edu)

Follow this and additional works at: [https://digitalcommons.humboldt.edu/botany\\_jps](https://digitalcommons.humboldt.edu/botany_jps)



Part of the [Botany Commons](#)

---

### Recommended Citation

Smith, James P. Jr, "Families of California Vascular Plants: Evolving Concepts and Discoveries" (2019).  
*Botanical Studies*. 94.  
[https://digitalcommons.humboldt.edu/botany\\_jps/94](https://digitalcommons.humboldt.edu/botany_jps/94)

---

This Flora of California is brought to you for free and open access by the Open Educational Resources and Data at Digital Commons @ Cal Poly Humboldt. It has been accepted for inclusion in Botanical Studies by an authorized administrator of Digital Commons @ Cal Poly Humboldt. For more information, please contact [kyle.morgan@humboldt.edu](mailto:kyle.morgan@humboldt.edu).

Humboldt State University

## Digital Commons @ Humboldt State University

---

Botanical Studies

Open Educational Resources and Data

---

8-30-2019

# Families of California Vascular Plants: Evolving Concepts and Discoveries

James P. Smith Jr

*Humboldt State University*, [james.smith@humboldt.edu](mailto:james.smith@humboldt.edu)

Follow this and additional works at: [https://digitalcommons.humboldt.edu/botany\\_jps](https://digitalcommons.humboldt.edu/botany_jps)



Part of the Botany Commons

---

### Recommended Citation

Smith, James P. Jr, "Families of California Vascular Plants: Evolving Concepts and Discoveries" (2019).  
*Botanical Studies*. 94.  
[https://digitalcommons.humboldt.edu/botany\\_jps/94](https://digitalcommons.humboldt.edu/botany_jps/94)

This Flora of California is brought to you for free and open access by the Open Educational Resources and Data at Digital Commons @ Humboldt State University. It has been accepted for inclusion in Botanical Studies by an authorized administrator of Digital Commons @ Humboldt State University. For more information, please contact [kyle.morgan@humboldt.edu](mailto:kyle.morgan@humboldt.edu).

# THE FAMILIES OF CALIFORNIA VASCULAR PLANTS

## (Evolving Concepts and Discoveries)

James P. Smith, Jr.  
Professor Emeritus of Botany  
Department of Biological Sciences  
Humboldt State University  
Arcata, California

30 August 2019

What follows is my attempt to account for and track the changes in the plant family concepts used to accommodate our state's vascular plants and to expand the list based on discoveries of new plants. The core of our understanding may be found in what I refer to as California's "official" state floras, listed here in chronological order and as they are known affectionately: Brewer and Watson, Jepson's Manual, Abrams, Munz, TJM1, and TJM2. I have taken the liberty of adding a seventh account, based on my own review of recent literature and a checklist of California vascular plants that will soon be available through the Digital Commons program at the Humboldt State University Library.

More recent systematic and floristic studies have added a number of plants, some of them in new families, and have caused some minor and major changes in the circumscription of several families, especially Liliaceae and Scrophulariaceae. The post-TJM2 primary sources of additions and changes are the papers by the Angiosperm Phylogeny Group, the various volumes of the Flora North America (1993), and Kubitzki (1990 →). I continue to be influenced by the family delimitations as seen in Heywood et al. (2009), Mabberley (2017), and Tahktajan (2009).

Some family names, especially those in Brewer & Watson, did not have the standard "-aceae" ending, but their generic root is obvious, as in Blechnae vs. Blechnaceae. Slight variations in spellings, as in Boraginaceae and Simarubaceae, have been changed to comport with current usage. I have retained the first published names in the case of the eight families where the International Code of Nomenclature allows for two equally correct names. They are Compositae, Cruciferae, Gramineae, Guttiferae, Labiate, Leguminosae, Palmae, Umbelliferae, rather than their alternative names Asteraceae, Brassicaceae, Poaceae, Hypericaceae, Lamiaceae, Fabaceae, Arecaceae, and Apiaceae.

As you scan this table, you will see that a number of families have appeared in every published flora. Some seem to have disappeared, but many of them now reside as subfamilies elsewhere. Examples include Asclepiadaceae becoming part of Apocynaceae and Monotropaceae becoming part of Ericaceae. It is worth noting that the majority of our currently accepted family concepts were in place in the our state's first comprehensive flora (Brewer, Watson, and Gray).

Why do I show a larger number of families than recognized in TJM2 (Baldwin et al. 2012)? In the years since it went to press, a few plants in previously unreported families have been documented for California. The principal difference lies in criteria of inclusion. I have been more "liberal" in my definition of what qualifies as a naturalized plant, especially in the category of weedy plants. I have also included a number of plants that are no presumably extinct or extirpated, but whose historical presence is well documented.

The families are listed alphabetically within the four major groupings of vascular plants: lycophytes (fern allies), ferns, gymnosperms (conifers and their allies), and flowering plants.

|                   | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|-------------------|-------|--------|--------|------|------|------|-------|
| <b>LYCOPHYTES</b> |       |        |        |      |      |      |       |
| Isoetaceae        |       | □      | □      | □    | □    | □    | □     |
| Lycopodiaceae     |       | □      | □      | □    | □    | □    | □     |
| Selaginellaceae   | □     | □      | □      | □    | □    | □    | □     |
|                   |       |        |        |      |      |      |       |
| <b>FERNS</b>      |       |        |        |      |      |      |       |
| Aspidiaceae       | □     |        |        | □    |      |      |       |
| Aspleniaceae      | □     |        |        | □    | □    | □    | □     |
| Athyriaceae       |       |        |        |      |      |      | □     |
| Azollaceae        |       |        |        |      | □    | □    |       |
| Blechnaceae       | □     |        |        | □    | □    | □    | □     |
| Cyatheaceae       |       |        |        |      |      |      | □     |
| Cystopteridaceae  |       |        |        |      |      |      | □     |
| Davalliaceae      |       |        |        |      |      |      | □     |
| Dennstaedtiaceae  |       |        |        |      | □    | □    | □     |
| Dryopteridaceae   |       |        |        |      | □    | □    | □     |
| Equisetaceae      | □     | □      | □      | □    | □    | □    | □     |
| Grammitidaceae    | □     |        |        |      |      |      |       |
| Marsileaceae      | □     | □      | □      | □    | □    | □    | □     |
| Nephrolepidaceae  |       |        |        |      |      |      | □     |
| Ophioglossaceae   | □     | □      | □      | □    | □    | □    | □     |
| Polypodiaceae     | □     | □      | □      | □    | □    | □    | □     |
| Psilotaceae       |       |        |        |      |      |      | □     |
| Pteridaceae       | □     |        |        | □    | □    | □    | □     |
| Salviniaceae      | □     | □      | □      | □    |      | □    | □     |
| Thelypteridaceae  |       |        |        |      | □    | □    | □     |
| Woodsiaceae       |       |        |        |      |      | □    | □     |

|                         | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|-------------------------|-------|--------|--------|------|------|------|-------|
| <b>GYMNOSPERMS</b>      |       |        |        |      |      |      |       |
| Cupressaceae            | □     | □      | □      | □    | □    | □    | □     |
| Ephedraceae             |       |        | □      | □    | □    | □    | □     |
| Gnetaceae               | □     | □      |        |      |      |      |       |
| Pinaceae                | □     | □      | □      | □    | □    | □    | □     |
| Taxaceae                | □     | □      | □      | □    | □    | □    | □     |
| Taxodiaceae             | □     | □      | □      | □    | □    |      |       |
|                         |       |        |        |      |      |      |       |
| <b>FLOWERING PLANTS</b> |       |        |        |      |      |      |       |
| Acanthaceae             | □     | □      | □      | □    | □    | □    | □     |
| Aceraceae               |       | □      | □      | □    | □    |      | □     |
| Acoraceae               |       |        |        |      |      |      | □     |
| Adoxaceae               |       |        |        |      |      | □    |       |
| Agavaceae               |       |        |        | □    |      | □    |       |
| Aizoaceae               |       | □      | □      | □    | □    | □    | □     |
| Alliaceae               |       |        |        |      |      | □    |       |
| Alismataceae            | □     | □      | □      | □    | □    | □    | □     |
| Amaranthaceae           | □     | □      | □      | □    | □    | □    | □     |
| Amaryllidaceae          | □     | □      | □      | □    |      | □    | □     |
| Amygdalaceae            |       |        | □      |      |      |      |       |
| Anacardiaceae           | □     | □      | □      | □    | □    | □    | □     |
| Apocynaceae             | □     | □      | □      | □    | □    | □    | □     |
| Apodanthaceae           |       |        |        |      |      | □    | □     |
| Aponogetonaceae         |       |        |        |      | □    | □    | □     |
| Aquifoliaceae           |       |        |        |      | □    | □    | □     |
| Araceae                 | □     | □      | □      | □    | □    | □    | □     |
| Araliaceae              | □     | □      | □      | □    | □    | □    | □     |
| Aristolochiaceae        | □     | □      | □      | □    | □    | □    | □     |

|                 | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|-----------------|-------|--------|--------|------|------|------|-------|
| Asclepiadaceae  | □     | □      | □      | □    | □    |      |       |
| Asparagaceae    |       |        |        |      |      | □    | □     |
| Asphodelaceae   |       |        |        |      |      | □    | □     |
| Avicenniaceae   |       |        |        |      |      |      | □     |
|                 |       |        |        |      |      |      |       |
| Balsaminaceae   |       |        | □      | □    |      | □    | □     |
| Basellaceae     |       |        |        |      | □    | □    | □     |
| Bataceae        | □     | □      | □      | □    | □    | □    | □     |
| Berberidaceae   | □     | □      | □      | □    | □    | □    | □     |
| Betulaceae      | □     | □      | □      | □    | □    | □    | □     |
| Bignoniaceae    | □     | □      | □      | □    | □    | □    | □     |
| Boraginaceae    | □     | □      | □      | □    | □    | □    | □     |
| Bromeliaceae    |       |        |        |      |      |      | □     |
| Buddlejaceae    |       |        |        |      | □    |      | □     |
| Burseraceae     |       | □      | □      | □    | □    | □    | □     |
| Buxaceae        | □     | □      | □      | □    |      |      |       |
|                 |       |        |        |      |      |      |       |
| Cabombaceae     |       |        |        |      | □    | □    | □     |
| Cactaceae       | □     | □      | □      | □    | □    | □    | □     |
| Caesalpiniaceae |       |        | □      |      |      |      |       |
| Callitrichaceae | □     | □      | □      | □    | □    |      | □     |
| Calycanthaceae  | □     | □      | □      | □    | □    | □    | □     |
| Campanulaceae   | □     | □      | □      | □    | □    | □    | □     |
| Cannabaceae     |       |        |        |      | □    | □    | □     |
| Capparaceae     | □     | □      | □      | □    | □    |      |       |
| Caprifoliaceae  | □     | □      | □      | □    | □    | □    | □     |
| Caryophyllaceae | □     | □      | □      | □    | □    | □    | □     |
| Casuarinaceae   |       |        |        |      |      |      | □     |

|                  | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|------------------|-------|--------|--------|------|------|------|-------|
| Celastraceae     | □     | □      | □      | □    | □    | □    | □     |
| Celtidaceae      |       |        |        |      |      |      | □     |
| Ceratophyllaceae | □     | □      | □      | □    | □    | □    | □     |
| Chenopodiaceae   | □     | □      | □      | □    | □    | □    |       |
| Cistaceae        | □     | □      | □      | □    | □    | □    | □     |
| Cleomaceae       |       |        |        |      |      | □    | □     |
| Comandraceae     |       |        |        |      |      | □    |       |
| Commelinaceae    |       |        |        | □    | □    | □    | □     |
| Compositae       | □     | □      | □      | □    | □    | □    | □     |
| Convallariaceae  |       |        | □      |      |      |      |       |
| Convolvulaceae   | □     | □      | □      | □    | □    | □    | □     |
| Cornaceae        | □     | □      | □      | □    | □    | □    | □     |
| Corylaceae       | □     | □      |        |      |      |      |       |
| Crassulaceae     | □     | □      | □      | □    | □    | □    | □     |
| Crossosomataceae |       | □      | □      | □    | □    | □    | □     |
| Cruciferae       | □     | □      | □      | □    | □    | □    | □     |
| Cucurbitaceae    | □     | □      | □      | □    | □    | □    | □     |
| Cupuliferae      | □     |        |        |      |      |      |       |
| Cuscutaceae      |       |        | □      | □    | □    |      |       |
| Cymodoceaceae    |       |        |        |      | □    |      | □     |
| Cyperaceae       | □     | □      | □      | □    | □    | □    | □     |
| Datiscaceae      | □     | □      | □      | □    | □    | □    | □     |
| Dichondraceae    |       |        | □      |      |      |      |       |
| Didiereaceae     |       |        |        |      |      |      | □     |
| Dipsacaceae      | □     | □      | □      | □    | □    | □    | □     |
| Droseraceae      | □     | □      | □      | □    | □    | □    | □     |
|                  |       |        |        |      |      |      |       |

|                 | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|-----------------|-------|--------|--------|------|------|------|-------|
| Ebenaceae       |       |        |        |      |      |      | □     |
| Ehretiaceae     |       |        |        |      |      |      | □     |
| Elaeagnaceae    | □     | □      | □      | □    | □    | □    | □     |
| Elaeocarpaceae  |       |        |        |      |      |      | □     |
| Elatinaceae     | □     | □      | □      | □    | □    | □    | □     |
| Empetraceae     |       | □      | □      | □    | □    |      |       |
| Ericaceae       | □     | □      | □      | □    | □    | □    | □     |
| Eriocaulaceae   |       |        |        | □    |      |      | □     |
| Escalloniaceae  |       |        |        |      |      |      | □     |
| Euphorbiaceae   | □     | □      | □      | □    | □    | □    | □     |
| Fagaceae        | □     | □      | □      | □    | □    | □    | □     |
| Ficoideae       | □     |        |        |      |      |      |       |
| Fouquieriaceae  |       | □      | □      | □    | □    | □    | □     |
| Francoaceae     |       |        |        |      |      |      | □     |
| Frankeniaceae   | □     | □      | □      | □    | □    | □    | □     |
| Fumariaceae     | □     | □      | □      | □    |      |      |       |
| Garryaceae      |       | □      | □      | □    | □    | □    | □     |
| Gentianaceae    | □     | □      | □      | □    | □    | □    | □     |
| Geraniaceae     | □     | □      | □      | □    | □    | □    | □     |
| Goodeniaceae    |       |        |        |      |      |      | □     |
| Gramineae       | □     | □      | □      | □    | □    | □    | □     |
| Grossulariaceae |       |        | □      |      | □    | □    | □     |
| Gunneraceae     |       |        |        |      | □    | □    | □     |
| Guttiferae      | □     | □      | □      | □    | □    | □    | □     |
| Haloragaceae    | □     | □      | □      | □    | □    | □    | □     |

|                  | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|------------------|-------|--------|--------|------|------|------|-------|
| Hamamelidaceae   |       |        |        |      |      |      | □     |
| Heliotropaceae   |       |        |        |      |      |      | □     |
| Hippocastanaceae |       |        | □      | □    | □    |      | □     |
| Hippuridaceae    |       |        |        |      | □    |      | □     |
| Hydrangeaceae    |       |        | □      |      |      | □    | □     |
| Hydrocharitaceae | □     | □      |        | □    | □    | □    | □     |
| Hydrocotylaceae  |       |        |        |      |      |      | □     |
| Hydrophyllaceae  | □     | □      | □      | □    | □    |      | □     |
| Illecebraceae    | □     |        | □      |      |      |      |       |
| Iridaceae        | □     | □      | □      | □    | □    | □    | □     |
| Juglandaceae     | □     | □      | □      | □    | □    | □    | □     |
| Juncaceae        | □     | □      | □      | □    | □    | □    | □     |
| Juncaginaceae    |       | □      |        | □    | □    | □    | □     |
| Koeberliniaceae  |       | □      |        |      | □    | □    | □     |
| Krameriaceae     |       |        | □      | □    | □    | □    | □     |
| Labiatae         | □     | □      | □      | □    | □    | □    | □     |
| Lauraceae        | □     | □      | □      | □    | □    | □    | □     |
| Laxmanniaceae    |       |        |        |      |      | □    |       |
| Leguminosae      | □     | □      |        | □    |      |      | □     |
| Lemnaceae        | □     | □      | □      | □    | □    |      | □     |
| Lennoaceae       | □     | □      | □      | □    | □    |      | □     |
| Lentibulariaceae | □     | □      | □      | □    | □    | □    | □     |
| Lilaeaceae       |       |        | □      | □    |      |      |       |
| Liliaceae        | □     | □      | □      | □    | □    | □    | □     |

|               | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|---------------|-------|--------|--------|------|------|------|-------|
| Limnanthaceae |       | □      | □      | □    | □    | □    | □     |
| Linaceae      | □     | □      | □      | □    | □    | □    | □     |
| Linderniaceae |       |        |        |      |      |      | □     |
| Linnaeaceae   |       |        |        |      |      | □    |       |
| Loasaceae     | □     | □      | □      | □    | □    | □    | □     |
| Lobeliaceae   | □     | □      |        |      |      |      |       |
| Loganiaceae   |       |        | □      | □    |      |      |       |
| Loranthaceae  | □     | □      | □      | □    |      |      |       |
| Lythraceae    | □     | □      | □      | □    | □    | □    | □     |
|               |       |        |        |      |      |      |       |
| Magnoliaceae  |       |        |        |      |      |      | □     |
| Malaceae      |       |        | □      |      |      |      |       |
| Malvaceae     | □     | □      | □      | □    | □    | □    | □     |
| Martyniaceae  |       | □      | □      | □    | □    | □    | □     |
| Melanthiaceae |       |        | □      |      |      | □    | □     |
| Meliaceae     |       |        |        | □    | □    | □    | □     |
| Menyanthaceae |       |        | □      |      | □    | □    | □     |
| Mimosaceae    |       |        | □      |      |      |      |       |
| Molluginaceae |       |        |        |      | □    | □    | □     |
| Monotropaceae |       |        | □      |      |      |      |       |
| Montiaceae    |       |        |        |      |      | □    | □     |
| Moraceae      |       |        |        | □    | □    | □    | □     |
| Moringaceae   |       |        |        |      |      |      | □     |
| Myoporaceae   |       |        |        |      | □    |      | □     |
| Myricaceae    | □     | □      | □      | □    | □    | □    | □     |
| Myrsinaceae   |       |        |        |      |      | □    |       |
| Myrtaceae     | □     |        |        | □    | □    | □    | □     |
|               |       |        |        |      |      |      |       |

|                 | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|-----------------|-------|--------|--------|------|------|------|-------|
| Naiadaceae      | □     | □      | □      | □    |      |      |       |
| Namaceae        |       |        |        |      |      |      | □     |
| Nartheciaceae   |       |        |        |      |      | □    | □     |
| Nelumbonaceae   |       |        |        |      |      |      | □     |
| Nitrariaceae    |       |        |        |      |      | □    | □     |
| Nyctaginaceae   | □     | □      | □      | □    | □    | □    | □     |
| Nymphaeaceae    | □     | □      | □      | □    | □    | □    | □     |
| Oleaceae        | □     | □      | □      | □    | □    | □    | □     |
| Onagraceae      | □     | □      | □      | □    | □    | □    | □     |
| Orchidaceae     | □     | □      | □      | □    | □    | □    | □     |
| Orobanchaceae   | □     | □      | □      | □    | □    | □    |       |
| Oxalidaceae     |       | □      | □      | □    | □    | □    | □     |
| Paeoniaceae     |       |        |        | □    | □    | □    | □     |
| Palmae          | □     | □      | □      | □    |      |      | □     |
| Papaveraceae    | □     | □      | □      | □    | □    | □    | □     |
| Parnassiaceae   |       |        | □      |      |      | □    |       |
| Passifloraceae  |       |        |        |      |      | □    | □     |
| Pedaliaceae     |       |        |        |      |      |      | □     |
| Philadelphaceae |       |        |        |      | □    |      |       |
| Phrymaceae      |       |        |        |      |      | □    |       |
| Phytolaccaceae  |       | □      |        | □    | □    | □    | □     |
| Picrodendraceae |       |        |        |      |      | □    |       |
| Pittosporaceae  |       |        |        |      | □    | □    | □     |
| Piperaceae      | □     |        |        |      |      |      |       |
| Plantaginaceae  | □     | □      | □      | □    | □    | □    | □     |
| Platanaceae     | □     | □      | □      | □    | □    | □    | □     |

|                  | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|------------------|-------|--------|--------|------|------|------|-------|
| Plumbaginaceae   | □     | □      | □      | □    | □    | □    | □     |
| Polemoniaceae    | □     | □      | □      | □    | □    | □    | □     |
| Polygalaceae     | □     | □      | □      | □    | □    | □    | □     |
| Polygonaceae     | □     | □      | □      | □    | □    | □    | □     |
| Pontederiaceae   | □     | □      | □      | □    | □    | □    | □     |
| Portulacaceae    | □     | □      | □      | □    | □    | □    | □     |
| Potamogetonaceae |       |        | □      | □    | □    | □    | □     |
| Primulaceae      | □     | □      | □      | □    | □    | □    | □     |
| Proteaceae       |       |        |        |      |      | □    | □     |
| Punicaceae       |       |        |        |      | □    |      |       |
| Pyrolaceae       |       |        | □      | □    |      |      |       |
| Rafflesiaceae    | □     |        |        | □    | □    |      |       |
| Ranunculaceae    | □     | □      | □      | □    | □    | □    | □     |
| Resedaceae       | □     | □      | □      | □    | □    | □    | □     |
| Rhamnaceae       | □     | □      | □      | □    | □    | □    | □     |
| Rosaceae         | □     | □      | □      | □    | □    | □    | □     |
| Rubiaceae        | □     | □      | □      | □    | □    | □    | □     |
| Ruppiaceae       |       |        |        | □    |      | □    | □     |
| Ruscaceae        |       |        |        |      |      | □    |       |
| Rutaceae         | □     | □      | □      | □    | □    | □    | □     |
| Salicaceae       | □     | □      | □      | □    | □    | □    | □     |
| Sambucaceae      |       |        |        |      |      |      | □     |
| Santalaceae      | □     | □      | □      | □    | □    |      | □     |
| Sapindaceae      | □     | □      |        |      |      | □    | □     |
| Sarcobataceae    |       |        |        |      |      | □    | □     |
| Sarraceniaceae   | □     | □      | □      | □    | □    | □    | □     |

|                  | B & W | Jepson | Abrams | Munz | TJM1 | TJM2 | Smith |
|------------------|-------|--------|--------|------|------|------|-------|
| Saururaceae      |       | □      | □      | □    | □    | □    | □     |
| Saxifragaceae    | □     | □      | □      | □    | □    | □    | □     |
| Scheuchzeriaceae |       |        | □      | □    | □    | □    | □     |
| Scrophulariaceae | □     | □      | □      | □    | □    | □    | □     |
| Simaroubaceae    |       | □      | □      | □    | □    | □    | □     |
| Simmondsiaceae   |       |        | □      |      | □    | □    | □     |
| Smilacaceae      | □     |        | □      |      |      | □    | □     |
| Solanaceae       | □     | □      | □      | □    | □    | □    | □     |
| Sparganiaceae    |       | □      | □      | □    |      |      |       |
| Staphyleaceae    |       | □      | □      | □    | □    | □    | □     |
| Sterculiaceae    | □     | □      | □      | □    | □    |      | □     |
| Styracaceae      | □     | □      | □      | □    | □    | □    | □     |
|                  |       |        |        |      |      |      |       |
| Tamaricaceae     | □     | □      | □      | □    | □    | □    | □     |
| Tecophilaeaceae  |       |        |        |      |      | □    | □     |
| Themidaceae      |       |        |        |      |      | □    |       |
| Theophrastaceae  |       |        |        |      |      | □    |       |
| Thymelaeaceae    | □     | □      | □      | □    | □    | □    | □     |
| Tiliaceae        |       |        |        |      |      |      | □     |
| Tofieldiaceae    |       |        |        |      |      | □    | □     |
| Tropaeolaceae    |       |        |        | □    | □    | □    | □     |
| Typhaceae        | □     | □      | □      | □    | □    | □    | □     |
|                  |       |        |        |      |      |      |       |
| Ulmaceae         |       | □      | □      | □    | □    | □    | □     |
| Umbelliferae     | □     | □      | □      | □    | □    | □    | □     |
| Urticaceae       | □     | □      | □      | □    | □    | □    | □     |
|                  |       |        |        |      |      |      |       |
| Vacciniaceae     |       |        | □      |      |      |      |       |

|                  | B & W      | Jepson     | Abrams     | Munz       | TJM1       | TJM2       | Smith      |
|------------------|------------|------------|------------|------------|------------|------------|------------|
| Valerianaceae    | □          | □          | □          | □          | □          | □          | □          |
| Vallisneriaceae  |            |            | □          |            |            |            |            |
| Verbenaceae      | □          | □          | □          | □          | □          | □          | □          |
| Viburnaceae      |            |            |            |            |            |            | □          |
| Violaceae        | □          | □          | □          | □          | □          | □          | □          |
| Viscaceae        |            |            |            |            | □          | □          | □          |
| Vitaceae         | □          | □          | □          | □          | □          | □          | □          |
|                  |            |            |            |            |            |            |            |
| Zannichelliaceae |            |            |            | □          | □          | □          |            |
| Zingiberaceae    |            |            |            |            |            |            | □          |
| Zosteraceae      |            |            | □          | □          | □          | □          | □          |
| Zygophyllaceae   | □          | □          | □          | □          | □          | □          | □          |
| <b>Subtotals</b> | <b>118</b> | <b>129</b> | <b>149</b> | <b>145</b> | <b>153</b> | <b>165</b> | <b>188</b> |

#### GRAND TOTALS

|                  | B & W      | Jepson     | Abrams     | Munz       | TJM1       | TJM2       | Smith      |
|------------------|------------|------------|------------|------------|------------|------------|------------|
| Lycophytes       | 1          | 3          | 3          | 3          | 3          | 3          | 3          |
| Ferns            | 10         | 5          | 5          | 9          | 11         | 13         | 18         |
| Gymnosperms      | 5          | 5          | 5          | 5          | 5          | 4          | 4          |
| Flowering Plants | 118        | 129        | 149        | 145        | 153        | 165        | 188        |
| <b>Totals</b>    | <b>134</b> | <b>142</b> | <b>162</b> | <b>162</b> | <b>172</b> | <b>185</b> | <b>213</b> |

## SOURCES

### THE SEVEN LISTS

B & W = Brewer & Watson  
TJM1 = Hickman  
TJM2 = Baldwin et al.

Abrams, L. R. 1923-1960. Illustrated flora of the Pacific States. Stanford Univ. Press. Stanford, CA. Four volumes.

Baldwin, B. G., D. H. Goldman, D. J. Keil, R. Patterson, T. J. Rosatti, & D. H. Wilken (editors). 2012. A manual of the vascular plants of California. Second edition. University of California Press. Berkeley. 1568 pp.

Brewer, W., S. Watson, & A. Gray. 1880. Botany. Geological Survey of California. Second (revised) edition. Little, Brown, and Company. Boston, MA. Two volumes.

Jepson, W. L. 1923-1925. Manual of the flowering plants of California. University of California Press. Berkeley. 1238 pp.

Hickman, J. C. (editor). 1993. A manual of the higher plants of California. University of California Press. Berkeley. 1400 pp.

Munz, P. A. 1959. A California Flora. University of California Press. Berkeley. 1681 pp.

Smith, J. P., Jr. 2018. A Checklist of the Vascular Plants of California. Department of Biological Sciences. Humboldt State Univ. Arcata, CA. 162 pp.

## SOURCES

Angiosperm Phylogeny Group. 2016. An update of the Angiosperm Phylogeny Group classification for the orders and families of flowering plants: APG IV. *Bot. J. Linnean Society* 181: 1-20.

Christenhusz, M. J. M., M. E. Fay, & M. W. Chase. 2017. Plants of the world. Kew Publishing & Univ. of Chicago Press. 792 pp.

Consortium of California Herbaria.  
[ucjeps.berkeley.edu/consortium/](http://ucjeps.berkeley.edu/consortium/)

Flora North America Editorial Committee. 1993  
→. Flora of North America north of Mexico.  
Oxford Univ. Press. New York, NY.

Heywood, V. H., R. K. Brummitt, A. Culham, & O. Seberg. 2007. Flowering plant families of the world. Firefly Books. Buffalo, NY. 424 pp.

Kartesz, J. 2014. North American Vascular flora. Biota of North America Program. [bonap.org](http://bonap.org)

Kubitzki, K. (editor). 1990 →. The families and genera of vascular plants. Springer-Verlag. Berlin, Germany.

Mabberley, D. J. 2017. Mabberley's plant-book. Fourth edition. Cambridge Univ. Press. Cambridge, U. K. 1102 pp.

Stevens, P. F. 2001 →. Angiosperm phylogeny website.  
[mobot.org/mobot/research/APweb/welcome.html](http://mobot.org/mobot/research/APweb/welcome.html)

Takhtajan, A. 2009. Flowering plants. Second edition. Springer. 871 pp.

USDA, NRCS. 2019. The plants database.  
[plants.usda.gov](http://plants.usda.gov)