

REFERENCES

1. Dulebohn, S. C., Ngnitewe Massa, R., & Mesfin, F. B. (2020). Disc Herniation. In *StatPearls*. StatPearls Publishing. <http://www.ncbi.nlm.nih.gov/books/NBK441822/>
2. Elflein, J. (2019, November 21). *Topic: Back pain in the U.S.* Www.Statista.Com. <https://www.statista.com/topics/4333/back-pain-in-the-us/>
3. Flanagan, S. P., & Kulig, K. (2010). Time Courses of Adaptation in Lumbar Extensor Performance of Patients With a Single-Level Microdiscectomy During a Physical Therapy Exercise Program. *Journal of Orthopaedic & Sports Physical Therapy*, 40(6), 336–344. <https://doi.org/10.2519/jospt.2010.3141>
4. Johansson, A.-C., Linton, S. J., Bergkvist, L., Nilsson, O., & Cornefjord, M. (2009). Clinic-based training in comparison to home-based training after first-time lumbar disc surgery: A randomised controlled trial. *European Spine Journal*, 18(3), 398–409. <https://doi.org/10.1007/s00586-008-0826-3>
5. Johansson, A.-C., Öhrvik, J., & Söderlund, A. (2016). Associations among pain, disability and psychosocial factors and the predictive value of expectations on returning to work in patients who undergo lumbar disc surgery. *European Spine Journal*, 25(1), 296–303. <https://doi.org/10.1007/s00586-015-3820-6>
6. Kulig, K., Beneck, G. J., Selkowitz, D. M., Popovich, J. M., Ge, T. T., Flanagan, S. P., Poppert, E. M., Yamada, K. A., Powers, C. M., Azen, S., Winstein, C. J., Gordon, J., Samudrala, S., Chen, T. C., Shamie, A. N., Khoo, L. T., Spoonamore, M. J., & Wang, J. C. (2009). An Intensive, Progressive Exercise Program Reduces Disability and Improves

- Functional Performance in Patients After Single-Level Lumbar Microdiscectomy. *Physical Therapy*, 89(11), 1145–1157. <https://doi.org/10.2522/ptj.20080052>
7. Millisdotter, M., & Strömqvist, B. (2007). Early neuromuscular customized training after surgery for lumbar disc herniation: A prospective controlled study. *European Spine Journal*, 16(1), 19–26. <https://doi.org/10.1007/s00586-005-0044-1>
 8. Son, I.-N., Kim, Y.-H., & Ha, K.-Y. (2015). Long-term clinical outcomes and radiological findings and their correlation with each other after standard open discectomy for lumbar disc herniation. *Journal of Neurosurgery: Spine*, 22(2), 179–184. <https://doi.org/10.3171/2014.10.SPINE131126>
 9. Steptoe, A., & Serwinski, B. (2016). Chapter 34—Cortisol Awakening Response. In G. Fink (Ed.), *Stress: Concepts, Cognition, Emotion, and Behavior* (pp. 277–283). Academic Press. <https://doi.org/10.1016/B978-0-12-800951-2.00034-0>
 10. Sudhaus, S., Möllenberg, T., Plaas, H., Willburger, R., Schmieder, K., & Hasenbring, M. (2012). Cortisol Awakening Response and Pain-Related Fear-Avoidance Versus Endurance in Patients Six Months After Lumbar Disc Surgery. *Applied Psychophysiology and Biofeedback*, 37(2), 121–130. <https://doi.org/10.1007/s10484-012-9186-1>